








GETTING STARTED

Thank you for choosing the INMOTION electric unicycle(hereinafter referred to as the unicycle)! This unicycle is an intelligent high-tech entertainment product. When you use the unicycle, there may be situations such as falling or collision that can cause injury and other risks. To reduce possible risks and ensure the personal and property safety of yourself and others, you have the responsibility and obligation to carefully read the user manual, fully understand all the warnings and precautions listed in this manual, and ensure that you can use it correctly. To obtain the latest feature/function information and safety guidance, please download the electronic version from the official website.

Important! Read carefully and keep for future reference.

Serial number (referred to as SN below) is a unique identifier for each product, which can be used for product warranty, maintenance, insurance claims, loss confirmation, and so on. The SN is a 16-character numeric code that can be found on the packaging box label, the body of the product, or in the device information section of the INMOTION App.

Get closer to your seller so he can refer you to an appropriate training organization.




When riding an electric unicycle, please wear a helmet, knee pads, elbow pads, wrist guards and other protective gear throughout the journey to reduce the risk of injury.

All pictures in this manual are for reference only. Please refer to the actual product for accuracy.

PACKING LIST


Please carefully check all components inside the packaging. If any components are missing, please consult your point of purchase.





WARNING: Please keep the packaging box and packaging materials for at least 30 days for future use when transporting the electric unicycle.

DIAGRAM



PRODUCT FEATURES

Power On/Off: LPress and hold the power button for 1 second when the device is off/on to turn it on/off.

HEADLIGHT: When the device is on, press the power button briefly to turn the headlight on/off. The headlight can also be controlled via the App.

Lock: Lock and unlock the vehicle through the lock icon in the App (only the verified owner can lock/unlock the vehicle).

Ride Mode Selection: Choose between Beginner Mode, Normal Mode, and Sport Mode through the App (beginner mode is the default setting).

Active Disable: Double-click the power button to lose balance (double-click again after righting the vehicle to regain balance).


Tail light: The tail light is off during normal riding; it flashes brightly when braking.

Ambient Light: Customize in the App.

Speaker: Connect to a phone via Bluetooth to play music.

Charging

The original charger is 54.6V. For the battery indicator: 0-25%, four bars flash in a cycle; 25-50%, one bar is solid, three bars flash in a cycle; 50-75%, two bars are solid, two bars flash in a cycle; 75-100%, three bars are solid, one bar flashes in a cycle; 100%, four bars are solid. (Warning: Use the original charger for charging.)



Warning:

- Do not charge if there is water at the charging port or power cord.
- Please use the original adapter for charging.
- Do not charge indoors.
- Cover the lid tightly after charging.
- Do not charge if the battery is damaged or has been exposed to water.
- If not in use for a long time, it is recommended to charge once every three months.

Note:

Tire Pressure: Maintain approximately 3.0 bar in both tires, ensuring they have equal pressure. Moving vehicle: When lifting the vehicle, please turn it off first.

DIAGRAM


	Model	F20	F20Lite
		30 [1]	
	Range (km)		15
Basic Specs	Charging Time (h)	约 3.5h	约 2.5h
	Max. speed (Km/h)	20 [2]	15
	Max. slope (°)	15° ^[3]	15°
	Length*Width*Height (mm)	440*253*507	440*253*507
Frame	Net Weight (kg)	13.5	12.8
Traine	Max. payload (kg)	90	90
	IP Ratings	IPX5	IPX5
Battery Pack	Rated Capacity (Wh)	240	120
Battery Pack	Rated Voltage (V)	48	48
	Rated Power (w)	450	450
	Max.Power (w)	900	900
Motor	Tire Size	14*1.75 Dual Wheels	14*1.75 Dual Wheels
	Tire Pressure (BAR)	3.0	3.0
	IP Ratings for Motor	IPX5	IPX5
Cl	Charger Intput	54.6	54.6
Charger	Charger Output (W)	54.6V1.5A	54.6V1.0A
	Beginner	7km/h	7km/h
Ride Mode	Normal	15km/h	10km/h
	Sport	20km/h	15km/h

^{[1]:} Under full charge conditions, with a 70kg load, at an ambient temperature of 25°C, and traveling at 60% of the maximum speed on a flat, hard surface, the range was measured. The range is influenced by factors such as temperature, tire pressure, road conditions, and riding habits (such as rapid acceleration and suspension).

^{[2]:} The range was measured on a flat surface, with a 70kg load, at 25°C, in calm weather, under full charge conditions.

^{[3]:} The actual range was measured under full charge conditions with a 70kg load.

DIMENSION



INITIAL USE

Activation

- 1. Users need to connect to the INMOTION App to activate the vehicle. Without activation, the vehicle remains in transport mode, unable to balance, with the tail light flashing as a reminder.
- 2. After activation through the App, the vehicle automatically exits transport mode and enters Beginner Mode.
- 3. A prompt to authorize as the owner appears after activation is complete.

INITIAL USE

Electric Unicycle is a high-tech recreation product. When you ride without following the operation specifications, it may lead to unpredictable injuries and property losses. The following will explain how to use Electric Unicycle and the precautions in details. Please read it carefully and use Electric Unicycle as required. Before using, please make sure that all parts of Electric Unicycle are not damaged and installed properly.



- Before using the Electric Unicycle, ensure that the battery is fully charged. It is recommended to charge it more than 80
 percent of capacity.
- Find a relatively open and flat area to practice riding, (at least 4m by 4m in area), both inside and outside. You need to
 be fully aware of the riding environment around you to ensure that you are not disturbed by obstacles such as cars,
 pedestrians, pets, bicycles, etc.
- You need a skilled assistant stood by. The assistant must be familiar with Electric Unicycle and all precautions and usage methods in this manual.
- · Please do not ride the vehicle on slippery ground.
- Users are advised to wear comfortable, casual or sports clothing, and to wear flats and warm up to improve your flexibility.
- Be sure to wear a helmet and riding protective gear to avoid injury.

Download INMOTION App



Download the App in the following ways


- 1. Scan the QR code on the left
- 2. Search "INMOTION" in the Apple store or Google Play Store.
- 3. Visit https://inmotionworld.com/app/

⚠ Tips:

Electric Unicycle supports Bluetooth 5.0 BLE. The BLE ID is V12Pro-XXXXXXXX, where XXXXXXXX is the last 8 digits of SN. Install the INMOTION App on your mobile device (iOS 12.1 and above or Android 7.0 and above supported) and follow the prompts to connect your Electric Unicycle.

For more functions, please visit the official website to download the latest version of INMOTION App user manual.

LEARNING TO RIDE




1. Step on the pedal with one foot, then swing back and forth.




2. Step on the pedal with one foot, keep your feet and body upright and gradually shift your weight up.




3. Step on the pedal with one foot, lift the other foot off the ground for 1-2 seconds and start gliding.



4. Step on the pedal with one foot, push back with the other foot and start aliding.



5. Step on pedals with both feet, use your weight to move forward and back.



6. Press the pedals with feet by different force to make a turn.







Facebook group



Website



岡草




qqA 不天於泯


示辭区学




3. 单脑踏板, 只一个民 , 对踏幽单. 8。 示影




2. 单脚踏板,脚、身体保持直立,逐渐 把重心移上去。




。齿點計前 , 黏褶蝴单.1



。弯鞋来法式的數式同不赫蹈糨糊双.8



。返司抵前對掌心重用, 郊稻土放瞡双. a



4. 单脚踏板,另一只脚向后蹬地,滑行。

备新前用動

- 。土以 %08 至申充災數 , 虽充量申此申槑勈計 , 前 之 辛 辞 此 用 動 좌 •
- 周围的驾驶环境,以确保您会到不定,行人之,还是是是的证明,就在明智的证明,就在明到证明,就是明明的证明,就是明明的证明,就是明明的证明,就是明明的证明,就是明明的证明,就是明明的证明,就是明明的证明,
- 请不要在湿滑的地面上测试车辆。

PPP APP APP

qqA 捷不去衣不以苡颩


- 可<u>新二</u>码侧去群柱 .r
- □ 禁
- 3. 直接直:www.inmotionworld.com/support/app



: 意玄貳

。並 8 同的 N2 式 XXXXXXX 中其 (XXXXXXXX-023: 式 GI 3 18, 死 至時支字途跡。 字途蛇的恋亲变形的 ng iga ng NOITOMNI 萘安土 (土以及 0.7 pionbnA 旋土以及 1.21 SOi) 备货位移的恋卦。 無手 中国本 訓 编 qqA 不天 示 正 如 可 pionbnA 旋上 放 pionbnA 旋 pionbnA piembnA pionbnA pionbnA

園下 日 品 市



用動欢砾

影猪

- 3. 激活完成之后有弹框提示是否绑定车主。

拨参品书

左 勢 奇		50km/h	1 2кш\h
		J 2кm/h	10кт/h
	赵 別 左 勢手礢	д/ш/ү	дүш/ү
器申充	(W) 率成出離器申充	∀9`l∧9'⊅9	A0.1V∂.48
	人辭器申衣	9'79	9.45
货币	聚等 水	PXS	PXS
	用語(BAR)	3.0	3.0
	(韻代) 它只韻錄	排并 57.1*41	3 歩栞 9∠"し*ヤレ
	(w) 率位大量	006	006
	(w) 率成宝醣	097	097
野災争	(V) 五唐玄藤	87	87
	級定能量(Wh)	540	120
· ·	殁等水初辛罄	PXS	SXdI
	(gyl)	06	06
	(69) 重射밤丸	13.5	12.8
	(mm)	/ የተ0 _* 523 _* 20 <u>\</u>	¢¢0.*253*507
息韵本基	(°) 夏角欺驯大最	12.[3]	12,
		50 _[5]	15
		45.5 <u>2</u>	45.2.2h
	ww)	30 [1]	91
	음 듎 밤护	E50	E20Lite

^{[1]:} 在满电情况下,70kg 负靠, 环境温度 25°C,以最大速度的 60% 的在平坦硬化路面行驶测得。续前里程跟温度、轮胎气压、路况、[2]: 在满电情况下,70kg 负靠、珠点等。


^{[2]:} 在满电情况下 70kg 负重, 环境温度 25°, 无风, 平坦路面测的;

[。]导顺祠实, 捷茂 BAOY 不识青唐斯좌:[S]

身充


: 岩響 🔨

- **申** 充器逼彭裝副用動影 •
- **千盖鮤盖影司身** 6 •
- 欢一申充目个三每岁墅 , 用動不间加分果败 •



页事意式

图规駐品书




。湫闪亮高改国相辛條;亮不改国司行發常五:改寫

。义玄目内 qqA 卦:**饮剧烹**


赵聯品 书

单影装店查给

。 阿容点書前的恋己前, 夫丟种起问五百果成, 种路百祝的内装匠查给殴分箭



用動弧灰



。剑风改受小减以,具守等解牲,想味、翘、盛类<u>馕刷</u>程全,也至邻蛇守裔。 当大财实力,产品情以变以影品,以是多种及计图有的生的说本





